


REPORT DOCUMENTATION PAGE			Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503.				
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE March 1995	3. REPORT TYPE AND DATES COVERED 1 Oct 89-30 Sep 92		
4. TITLE AND SUBTITLE AB Initio Studies of Electron & Positron Scattering From Non-Linear Molecules		5. FUNDING NUMBERS DAAL03-89-G-0111		
6. AUTHOR(S) Charles A. Weatherford				
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Florida A&M University				
8. PERFORMING ORGANIZATION REPORT NUMBER		9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211		
10. SPONSORING/MONITORING AGENCY REPORT NUMBER ARO 27256.4-PH-SAH		11. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy, or decision, unless so designated by other documentation.		
12a. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited.		12b. DISTRIBUTION CODE		
13. ABSTRACT <p>During a period of three years, several important developments and calculations were made on the electron--molecule scattering. We presented rotationally elastic, inelastic and summed cross sections for electron scattering with several polyatomic molecules (CH₄, SiH₄, GeH₄, H₂O, H₂S and NH₃) in a highly sophisticated close-coupling non--empirical theory. Exchange effects were included exactly, while polarization corrections were considered approximately but without involving any fitting parameter. Results were compared with measurements where such data were available. No previous theoretical investigation is available on these molecules in such detail and energy range.</p>				
CT TERMS		15. NUMBER OF PAGES		
		16. PRICE CODE		
17. SECURITY CLASSIFICATION OF REPORT UNCLASSIFIED	18. SECURITY CLASSIFICATION OF THIS PAGE UNCLASSIFIED	19. SECURITY CLASSIFICATION OF ABSTRACT UNCLASSIFIED	20. LIMITATION OF ABSTRACT UL	

19950327 173

FINAL REPORT

TWENTY COPIES REQUIRED

1. ARO PROPOSAL NUMBER: 27256-PH-SAH
2. PERIOD COVERED BY REPORT: 1 July 1989 - 30 September 1992
3. TITLE OF PROPOSAL: AB Initio Studies of Electron & Positron Scattering From Non-Linear Molecules
4. CONTRACT OR GRANT NUMBER: DAAL03-89-G-0111
5. NAME OF INSTITUTION: Florida A&M University
6. AUTHORS OF REPORT: Charles A. Weatherford, Ph.D.
7. LIST OF MANUSCRIPTS SUBMITTED OR PUBLISHED UNDER ARO SPONSORSHIP DURING THIS REPORTING PERIOD, INCLUDING JOURNAL REFERENCES:

Accession For	
NTIS	CRA&I <input checked="" type="checkbox"/>
DTIC	TAB <input type="checkbox"/>
Unannounced <input type="checkbox"/>	
Justification	
By	
Distribution /	
Availability Codes	
Dist	Avail and/or Special
A-1	

Ashok Jain, C.A. Weatherford, D.G. Thompson, and P. McNaughten, "Polarization effects in low-energy electron-CH₄ elastic collisions in an exact exchange treatment", Physical Review A **40**, 6730 (1989).

H.W. Jones and C.A. Weatherford, "The Löwdin α -Function and Its Application to the MultiCenter Molecular Integral Problem Over Slater-Type Orbitals," Journal of Molecular Structure (Theochem) **199**, 233 (1989).

C.A. Weatherford and W.M. Huo, "Application of the Schwinger multichannel formulation to electron-impact excitation of the $b^3\Sigma^+$ state of CO", Physical Review A **41**, 186 (1990).

A. Temkin and C.A. Weatherford, "Application of the 3D PDE Method to Electron-N₂ in the Π_g Symmetry", Bulletin of the American Physical Society **35**, 1145 (1990).

C.A. Weatherford and W.M. Huo, "Extension of the PDE Method to Electron-Molecular Ion Scattering", Bulletin of the American Physical Society **35**, 1145 (1990).

Ashok Jain, "A treatment of low-energy positron-CO collisions using a new parameter-free positron correlation polarization (PCOP) potential", Journal of Physics B: Atomic, Molecular, and Optical Physics **23**, 863 (1990).

P. McNaughten, D.G. Thompson and Ashok Jain, "Low-energy electron-CH₄ collisions using exact exchange plus parameter-free polarization potential", Journal of Physics B: Atomic, Molecular, and Optical Physics **23**, 2405S (1990).

K.L. Baluja, A. Jain, H.W. Jones, C.A. Weatherford, and K.R. Karim, "Elastic differential cross sections for positron-neon scattering", Journal of Physics B: Atomic and Molecular Physics **24**, L93 (1991).

C.A. Weatherford, "Multicenter Molecular Integrals Over Slater-Type Orbitals: Momentum Space and the Fock Hypersphere", Proceedings of the 1991 High Energy Density Matter (HEDM) Air Force Conference, Albuquerque, NM, edited by M.E. Cordonnier, Philips Laboratory, Propulsion Directorate, Air Force Systems Command, Edwards Air Force Base, p. 187-195 (1991).

W.M. Huo and **C.A. Weatherford**, "Application of the Fully Variational SMC Method to Electron-Molecule Collisions", Bulletin of the American Physical Society **36**, 1265 (1991).

K.L. Baluja, A. Jain, H.W. Jones, and **C.A. Weatherford**, "Low-Energy Electron-Kr Scattering by Using a Tuned Local Exchange Model Potential", Bulletin of the American Physical Society **36**, 1284 (1991).

K.L. Baluja, A. Jain, H.W. Jones, and **C.A. Weatherford**, "Differential Cross Sections for Electron Collisions with Gold Atoms", Bulletin of the American Physical Society **36**, 1284 (1991).

C.A. Weatherford, "Multicenter Molecular Integrals Over Slater-Type Orbitals: Momentum Space and the Fock Hypersphere", Proceedings of the Seventeenth International Conference on the Physics of Electronic and Atomic Collisions, Brisbane, Australia, edited by I.E. McCarthy, W.R. MacGillivray, and M.C. Standage, p. 232 (1991).

W.M. Huo and **C.A. Weatherford**, "Application of the Fully Variational Schwinger Multichannel (VSMC) Method to Electron-Molecule Collisions", Proceedings of the Seventeenth International Conference on the Physics of Electronic and Atomic Collisions, Brisbane, Australia, edited by I.E. McCarthy, W.R. MacGillivray, and M.C. Standage, p. 214 (1991).

K.L. Baluja, **Ashok Jain**, H.W. Jones, and **C.A. Weatherford**, "Electron Scattering From Krypton Atoms Between 1-20 eV," Physica Scripta **45**, 30 (1992).

H.W. Jones, "Löwdin α -Function, Overlap Integral, and Computer Algebra," International Journal of Quantum Chemistry **41**, 749 (1992).

H.W. Jones, "Semianalytical Method for Four-Center Molecular Integrals over Slater-Type Orbitals," International Journal of Quantum Chemistry **42**, 779 (1992).

H.W. Jones, **B. Etemadi**, and F.B. Brown, "Restricted Basis Functions for H_2^+ With Use of Overlap Integrals of Slater-Type Orbitals," International Journal of Quantum Chemistry **S26**, 265 (1992).

Ashok Jain and K.L. Baluja, "Total (elastic plus inelastic) cross sections for electron scattering from diatomic and polyatomic molecules at 10-5000 eV: H_2 , Li_2 , HF, CH_4 , N_2 , CO, C_2H_2 , HCN, O_2 , HCL, H_2S , PH_3 , SiH_4 , and CO_2 ," Physical Review **A45**, 202 (1992).

Indira Khurana and **Ashok Jain**, "On the $^2\Pi_g$ shape resonance in electron- C_2H_2 scattering," Journal of Physics **B25**, L439 (1992).

Ashok Jain and D.W. Norcross, "Slow-electron collisions with CO molecules in an exact-exchange plus parameter-free polarization model," Physical Review **A45**, 1644 (1992).

F.A. Gianturco, V. Di Martino, and **A. Jain**, "Electron Scattering from Nonlinear Molecules Using Multicentre Wavefunction Expansions," *Il Nuovo Cimento* **14**, 411 (1992).

K.L. Baluja, **A. Jain**, V. Di Martino, and F.A. Gianturco, "Total (Elastic Plus Inelastic) Cross Sections for Electron Scattering With CF_4 and GeH_4 ," *Europhysics Letters* **17**, 139 (1992).

H.W. Jones and **B. Etemadi**, "Accurate Ground State Calculations for H_2^+ Using Basis Sets of Atom-Centered Slater-Type Orbitals", *Physical Review A* **47**, 3430 (1993), .

B. Etemadi and **H.W. Jones**, "Accurate LCAO Ground State Calculations of HeH^{2+} Using Slater-Type Orbitals", *International Journal of Quantum Chemistry* **S27**, 755 (1993).

H.W. Jones, "Benchmark Values for Two-Center Coulomb Integrals over Slater-Type Orbitals", *International Journal of Quantum Chemistry* **45**, 21 (1993).

A.S. Gosh, T. Mukherjee, P.J. Biswas, and **Ashok Jain**, "Positron-CO collisions using rotational LFCC", *Journal of Physics B* **26**, L23 (1993).

I Ben-Itzhak, **Ashok Jain**, and O.L. Weaver, "Impact parameter dependence of classical capture probability from any initial state by fast bare projectiles," *Journal of Physics B* **26**, 1711 (1993).

Ashok Jain, "Low-Energy (0.01-20 eV) electron scattering from acetylene", *Journal of Physics B* **26**, 4833 (1993).

R.L. Williams and **C.A. Weatherford**, Proceedings of the 16th Annual Meeting of the National Society of Black Physicists, April 21-24, 1993, Florida A&M University, Tallahassee, FL.

8. SCIENTIFIC PERSONNEL SUPPORTED BY THIS PROJECT AND DEGREES AWARDED DURING THIS REPORTING PERIOD:

Herbert W. Jones, Ph.D., Charles A. Weatherford, Ph.D., Ashok K. Jain, Ph.D.
Kasturi L. Baluja, Ph.D., Gregory Odom, student

HERBERT W. JONES, Physics
Florida A&M University
Tallahassee, FL 32307-2001

CHARLES A. WEATHERFORD, Physics
Florida A&M University
Tallahassee, FL 32307-2001

ASHOK K. JAIN, Physics
Florida A&M University
Tallahassee, FL 32307-2001

CONCLUSIONS

During a period of three years, several important developments and calculations were made on the electron--molecule scattering. We presented rotationally elastic, inelastic and summed cross sections for electron scattering with several polyatomic molecules (CH_4 , SiH_4 , GeH_4 , H_2O , H_2S and NH_3) in a highly sophisticated close--coupling non--empirical theory. Exchange effects were included exactly, while polarization corrections were considered approximately but without involving any fitting parameter. Results were compared with measurements where such data were available. No previous theoretical investigation is available on these molecules in such detail and energy range.

This study has drawn several important conclusions: (1) exchange effects at the exact level and model polarization potentials can describe low energy e--molecule scattering quite accurately, (2) polarization effects should be included in a theory where target orbitals are relaxed in the presence of incoming particle, (3) the effect of gas temperature on the cross sections is crucial for rotationally inelastic channels, (4) a single--center approach can be useful for many polyatomics without any convergence problem, (5) the iterative scheme is quite promising tool in future if employed in an optimized way as suggested in this study. For the first time, a large variety of molecules are studied at intermediate and high energies. The total cross section (sum of elastic plus all possible inelastic channels) for several gases were calculated and presented in tabular form in the energy range of 10--5000 eV. Such theoretical data are not found in the literature for most of the targets studied here. In addition we also reported Born--Bethe parameters for all these molecules. An attempt was made to find a correlation between molecular properties and the corresponding total cross section quantity. Several computers codes were modified and developed in order to deal with big molecules and also polar ones. Our Single--center--expansion scheme was made possible to work for much heavier systems (e.g. GeH_4 , SF_6 , CF_4 , etc.) than the typical CH_4 , etc. ones. An interface program was developed which generates SCE quantities from

molecular wave functions. This progress was realized in terms of some actual calculations on some molecules of larger size.

This work is still in progress in two ways: (1), to investigate electron interactions in large systems, and (2) to employ the present set of programs for vibrational and electronic excitation of polyatomic molecules. Some preliminary progress has been made for the CH_4 and H_2O molecules. However, this work requires a huge amount of effort in terms of manual and computational facilities.